

TETRA Cargo Straps / Ratchet Straps



Approvals: NEN-EN 12195-2 / CE

Temperature range: -40 °C tot +100 °C
UV resistant

Safety factor: 2:1

All cargo straps are individually packed in a plastic cover and are supplied with the test certificate.

J-Hook material: Steel
Ratchet material: Steel
Strap material: Polyester





CARGO STRAPS												
Code	Product	WLL (Work load limit)	Total length	Length side-A	Length side-B	Width	Color	J-hook opening	Weight	Packed dimensions		
										Length	Width	Height
12554	TETRA TCS-005-1	0.5 ton	1.35 m	0.4 m	0.95 m	25 mm	Blue	30 mm	0.3 kg	12 cm	7 cm	4 cm
12555	TETRA TCS-005-3	0.5 ton	3 m	0.4 m	2.6 m	25 mm	Blue	30 mm	0.35 kg	12 cm	7 cm	5 cm
12556	TETRA TCS-005-6	0.5 ton	6 m	0.4 m	5.6 m	25 mm	Blue	30 mm	0.4 kg	15 cm	7 cm	8 cm
12557	TETRA TCS-005-12	0.5 ton	12 m	0.4 m	11.6 m	25 mm	Blue	30 mm	0.5 kg	18 cm	10 cm	8 cm
12558	TETRA TCS-010-3	1 ton	3 m	0.4 m	2.6 m	25 mm	Blue	30 mm	0.6 kg	14 cm	7 cm	6 cm
12559	TETRA TCS-010-6	1 ton	6 m	0.4 m	5.6 m	25 mm	Blue	30 mm	0.7 kg	18 cm	10 cm	8 cm
12560	TETRA TCS-010-9	1 ton	9 m	0.4 m	8.6 m	25 mm	Blue	30 mm	0.8 kg	21 cm	10 cm	8 cm
12561	TETRA TCS-010-12	1 ton	12 m	0.4 m	11.6 m	25 mm	Blue	30 mm	0.9 kg	22 cm	12 cm	7 cm
12562	TETRA TCS-030-6	3 ton	6 m	0.4 m	5.6 m	35 mm	Blue	40 mm	1.4 kg	22 cm	10 cm	10 cm
12563	TETRA TCS-030-12	3 ton	12 m	0.4 m	11.6 m	35 mm	Blue	40 mm	1.8 kg	26 cm	16 cm	10 cm
12564	TETRA TCS-050-6	5 ton	6 m	0.4 m	5.6 m	50 mm	Blue	50 mm	2.2 kg	25 cm	11 cm	12 cm
12565	TETRA TCS-050-12	5 ton	12 m	0.4 m	11.6 m	50 mm	Blue	50 mm	2.8 kg	26 cm	16 cm	12 cm
12566	TETRA TCS-100-6	10 ton	6 m	0.4 m	5.6 m	75 mm	Blue	60 mm	6.4 kg	30 cm	18 cm	13 cm
12567	TETRA TCS-100-12	10 ton	12 m	0.4 m	11.6 m	75 mm	Blue	60 mm	7.8 kg	33 cm	18 cm	16 cm



