





Certification for Safe Transport of Chemical Goods

锂电池类货物

样品名称: 往复锯 内含及内置锂电池FH-21M-3 21V(MAX) 1.5Ah

Reciprocaling saw packed with and contained Lithium battery FH-21M-3 Sample name:

21V (MAX) 1.5Ah 31.5Wh

浙江飞虎新能源科技有限公司 委托单位:

ZHEJIANG FEIHU NEW ENERGY TECHNOLOGY CO., LTD

浙江飞虎新能源科技有限公司

ZHEJIANG FEIHU NEW ENERGY TECHNOLOGY CO.,







声明

Statement

1. 鉴定书无上海化工院检测有限公司检验检测专用章、二维码无效。

The certification is invalid if it is not affixed the dedicated inspection and testing seal of Shanghai Institute of Chemical Industry Testing Co., Ltd.and QR Code on it.

2. 鉴定书复印件无效。

Copies of the certification are invalid.

3. 鉴定书无主检、审核、批准签字无效。

The certification is invalid without the signatures of appraiser, checker and approver.

4. 鉴定书涂改无效。

The certification is invalid if it is forged or altered.

5. 本鉴定书不涉及样品的成分鉴别,委托单位必须保证提供给本公司的样品与实际的出运货物相一致且相关成分等资料真实完整,由于样品与委托信息的真实性所带来的法律责任和其他后果均由委托单位自行承担。

The certification does not involve ingredient analysis of the sample. It is the client's responsibility to guarantee that samples provided for appraisal are consistent with the goods to be transported and that relevant information and documents (eg: information on ingredients) submitted are authentic and complete. Otherwise, the client shall bear any legal liability and other possible consequence arising from the authenticity of samples and information provided.

6. 本鉴定书的鉴定结论仅适用于最终收到的样品。

The conclusion of this certification only applies to the final sample as received.

7. 本鉴定书当年有效,铁路运输方式除外。特殊情况参见鉴定书备注。

The certification is valid in the year subscribed on it except when transported by rail. Please refer to the comment of certification on special occasion.

8. 本鉴定书不考虑国家及经营人差异。

The certification takes no account of the State and Operator Variations.

9. 货物的运输方式应与鉴定结论中的运输方式相一致。不同的运输方式,鉴定结果可能会有差异。

The transportation mode of the goods shall be consistent with that in the appraisal conclusion. Different transportation modes may lead to different appraisal results.

- 10. 鉴定书真伪性可登入本公司网站 www.ghs.cn 或扫描鉴定书中二维码进行查询。 The authenticity of the certification can be verified by our website(www.ghs.cn)or the QR code in the certification.
- 11. 送检申请可登入本公司网站 www.ghs.cn 进行网上委托。

The application of the certification can be done via our website: www.ghs.cn.

地址:上海市光复西路2779号接待大厅

Address: Reception Hall, Shanghai Institute of Chemical Industry Co., Ltd, No.2779 West Guangfu Road, Shanghai, China.

邮縞(Post code): 200062 电话(Tel):(008621)31765555 邮箱(Email): center@ghs.cn 网址(Website): www.ghs.cn

货物运输条件鉴定书 Certification for Safe Transport of Chemical Goods

NO. 212300635789052

Page 1/3

	Cei	diffication for Safe Trans	port of Chemical Goods	Page 1/3	
样品名称 imple Name		THE PERSON NAMED IN COLUMN 2 IS NOT THE OWNER, THE PERSON NAMED IN COLUM	H-21M-3 21V (MAX) 1.5Ah 31.	. 5Wh	
imple rvame	英文 English	deciprocaling saw packed with and contained Lithium battery FH-21M-3 21V(MAX) 1.5Ah 31.5Wh			
委托单位 Consignor		浙江飞虎新能源科技有限公司 ZHEJIANG FEIHU NEW ENERGY TECHNOLOGY CO., LTD			
生产单位 Manufacturer		浙江飞虎新能源科技有限公司 ZHEJIANG FEIHU NEW ENERGY TECHNOLOGY CO., LTD			
	法、程序 nod and procedure	国际海事组织《国际海运危险货物规则》(2020版) IMO International Maritime Dangerous Goods Code (2020 Edition)			
	品外观 appearance	多种颜色塑胶及金属外壳 Multicolor Plastics cement and metal shell			
Package	L件信息 information	/			
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement	
1 可	充电锂离子电池组 chargeable Li-io battery	FH-21M-3	1. 5Ah 31. 5Wh	与设备包装在一起 Packed with equipment	
	充电锂离子电池组 chargeable Li-ic battery		1.5Ah 31.5Wh	安装在设备内 Contained in equipment	
定结论	FI Code) 根据特殊规定 The article 3. 包装要求 无。 None.	国际海事组织《国际海运》 188, 该物品不受IMO IMDG Codis not subject to other pro (Packaging requirement	を险货物规则》办理的类项(de其他系款限制。ovisions of IMO IMDG Code accounts)	(Suggestion according to IMO IMDO cording to special provision 188.	
备注 Comn					

审核 Checker:

专学性

主检 Appraiser:

好情



货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212300635789052 Page 2/3


号		检验结果及其他事项
0.		Inspection results and other things
1	Lith	告所述锂电池按照《国际海运危险货物规则》(2020版)2.9.4.5规定的质量管理体系进行制造。 ium cells and batteries listed in this report were manufactured under the quality management program described in IMDG 2020 EDITION 2.9.4.5 .
2	包型 Lit eaa Th UN Th 8 i	设告所述锂电池已通过联合国《试验和标准手册》第111部分38.3小节相应测试要求。 chium cells and batteries listed in this report are of the types proved to meet the requirements of the applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. e package has passed the 1.2m drop test. 38.3试验概要编号 te UN38.3 Test Summary No.(s) 12300400516574 Feufle。请扫描右侧二维码。 lease scan the QR code on the right for more information. 2各应装入由适当材料构造的坚固外包装内,材料的强度和设计应与包装的容量和用途相符,除非装有电池的设备对电池提供了等效保护。 理电池完全封装在内包装内,位于坚固的外包装中。 the equipment should be packed in strong outer packagings constructed of suitable material of adequate strength and design in relation to the packaging's capacity and its intended use unless the battery is afforded equivalent protection by the equipment in which it is contained. Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.
	4	电池具有适当的防短路措施。 设备固定在外包装内以免移动,并配备防止发生意外启动的有效手段。 Cells and batteries are properly protected to prevent short circuits. The equipment is secured against movement within the outer packaging and is equipped with an effective means of preventing accidental activation.
	5	每个包装件必须标示恰当的锂电池标记。 Each package shall be marked with the appropriate lithium battery mark.
6		
		-验证码:762492-
	1	- 3型 ME Pro - 1024 3 2 -


货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212300635789052

Page 3/3





Li-ion Battery
FH-21M-03
21VMax === 1.5Ah 31.5Wh



