

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## WINKEL PRO ANAEROBIC ADHESIVES, USER-FRIENDLY

Revision date: 24/3/2021  
Version: 6.0

Language: en-GB,IE

Date of print: 29/4/2021  
Page: 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: WINKEL PRO ANAEROBIC ADHESIVES, USER-FRIENDLY

This safety data sheet pertains to the following products:

WINKEL Pro 2W22,  
2W43,  
2W70,  
2W701,  
2W72,  
2W77,  
2W90,  
5W10,  
5W11,  
5W18,  
5W42,  
5W72,  
5W73,  
5W74,  
5W77,  
6W38,  
6W41,  
6W48,  
6W60

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Adhesive, sealant

#### 1.3 Details of the supplier of the safety data sheet

Company name: WINKEL GmbH  
Street/POB-No.: Lisztstraße 1  
Postal Code, city: 53881 Euskirchen - Germany  
WWW: [www.winkelgroup.de](http://www.winkelgroup.de)  
E-mail: [info@winkelgroup.de](mailto:info@winkelgroup.de)  
Telephone: ++49 2251 77 69 400-401  
Telefax: ++49 2251 77 69 402  
Department responsible for information:  
[info@winkelgroup.de](mailto:info@winkelgroup.de)

#### 1.4 Emergency telephone number

GIZ-Nord, Göttingen, Germany, Telephone: +49 551-19240  
111, 112, 114

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## WINKEL PRO ANAEROBIC ADHESIVES, USER-FRIENDLY

Revision date: 24/3/2021  
Version: 6.0

Language: en-GB,IE

Date of print: 29/4/2021  
Page: 2 of 9

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

#### 2.2 Label elements

##### Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

#### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment:

No data available

### SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

#### 3.2 Mixtures

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions:

Hazardous ingredients:

Ingredient	Designation	Content	Classification
REACH 01-2119875400-42-xxxx EC No. 201-128-1 CAS 78-63-7	di-tert-Butyl 1,1,4,4- tetramethyltetra methylene diperoxide	0.5 - 1 %	Org. Perox. D; H242. Skin Irrit. 2; H315.
REACH 01-2119475796-19-xxxx EC No. 201-254-7 CAS 80-15-9	Cumene hydroperoxide	< 0.5 %	Org. Perox. E; H242. Acute Tox. 4; H302. Acute Tox. 4; H312. Acute Tox. 3; H331. Skin Corr. 1B; H314. STOT RE 2; H373. Aquatic Chronic 2; H411.
REACH 01-2119473983-24-xxxx EC No. 202-704-5 CAS 98-82-8	Cumene	< 0.5 %	Flam. Liq. 3; H226. STOT SE 3; H335. Asp. Tox. 1; H304. Aquatic Chronic 2; H411.

Full text of H- and EUH-statements: see section 16.

Additional information: Contains silicon dioxide and Polytetrafluorethylene.  
The maximum workplace exposure limits are, where necessary, listed in section 8.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

In case of inhalation: Move victim to fresh air; if necessary, provide artificial respiration or oxygen. Make sure he/she is warm and comfortable. Seek medical treatment in case of troubles.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## WINKEL PRO ANAEROBIC ADHESIVES, USER-FRIENDLY

Revision date: 24/3/2021  
Version: 6.0

Language: en-GB,IE

Date of print: 29/4/2021  
Page: 3 of 9

- After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.
- After swallowing: Rinse mouth immediately and drink plenty of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Can cause skin, eye and respiratory tract irritation.  
With prolonged and/or frequent exposure, inflammation of the skin and mucous membranes may occur.  
In case of ingestion:  
Ingestion may cause nausea, weakness and affect the central nervous system.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media: Alcohol resistant foam, extinguishing powder, carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

On heating or in case of fire toxic gases may form.  
In case of fire may be liberated: carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus. Wear full protective suit.

Additional information:

Hazchem-Code: -

Move undamaged containers from immediate hazard area if it can be done safely. Do not allow fire water to penetrate into surface or ground water. Use water spray jet to minimise or disperse vapours.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid breathing mist/vapours/spray. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Avoid contact with skin and eyes. Keep unprotected people away.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceous earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance.

Additional information:

Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## WINKEL PRO ANAEROBIC ADHESIVES, USER-FRIENDLY

Revision date: 24/3/2021  
Version: 6.0

Language: en-GB,IE

Date of print: 29/4/2021  
Page: 4 of 9

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid contact with skin and eyes. Avoid breathing mist/vapours/spray. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. When using do not eat, drink or smoke. Wash hands thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers: Keep container dry, tightly closed and store at cool and aired place. Keep only in original container. Recommended storage temperature: <20 °C  
Protect from heat and direct sunlight.

Hints on joint storage: Do not store together with acids, peroxides, copper or strong oxidizing agents. Keep away from food, drink and animal feedingstuffs.

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
7631-86-9	Silicon dioxide	Great Britain: WEL-TWA	2.4 mg/m <sup>3</sup> (Silica, amorphous; respirable fraction)
		Great Britain: WEL-TWA Ireland: 8 hours	6 mg/m <sup>3</sup> (Silica, amorphous; inhalable fraction) 2.4 mg/m <sup>3</sup> (Silicon dioxide, amorphous, respirable fraction)
		Ireland: 8 hours	6 mg/m <sup>3</sup> (Silicon dioxide, amorphous, inhalable fraction)
98-82-8	Cumene	Europe: IOELV: STEL	250 mg/m <sup>3</sup> ; 50 ppm (may be absorbed through the skin)
		Europe: IOELV: TWA	50 mg/m <sup>3</sup> ; 10 ppm (may be absorbed through the skin)
		Great Britain: WEL-STEL	250 mg/m <sup>3</sup> ; 50 ppm (may be absorbed through the skin)
		Great Britain: WEL-TWA	125 mg/m <sup>3</sup> ; 25 ppm (may be absorbed through the skin)
		Ireland: 15 minutes	250 mg/m <sup>3</sup> ; 50 ppm (may be absorbed through the skin)
Ireland: 8 hours	100 mg/m <sup>3</sup> ; 20 ppm (may be absorbed through the skin)		

#### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## WINKEL PRO ANAEROBIC ADHESIVES, USER-FRIENDLY

Revision date: 24/3/2021  
Version: 6.0

Language: en-GB,IE

Date of print: 29/4/2021  
Page: 5 of 9

### Personal protection equipment

#### Occupational exposure controls

- Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. Particulates filter P2 according to EN 143. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
- Hand protection: Protective gloves according to EN 374  
Glove material: PVC  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to EN 166.
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:  
Avoid breathing mist/vapours/spray. Take off contaminated clothing and wash it before reuse. Wash hands thoroughly after handling. When using do not eat, drink or smoke. Avoid contact with skin and eyes.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Physical state at 20 °C and 101.3 kPa: liquid Colour: varying, depends on colouring
Odour:	characteristic
Odour threshold:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	> 60 °C
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	No data available
Solubility:	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosive properties:	No data available
Oxidizing characteristics:	No data available

### 9.2 Other information

Additional information: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## WINKEL PRO ANAEROBIC ADHESIVES, USER-FRIENDLY

Revision date: 24/3/2021  
Version: 6.0

Language: en-GB,IE

Date of print: 29/4/2021  
Page: 6 of 9

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Exothermic polymerization may occur.

#### 10.4 Conditions to avoid

Do not expose to temperatures above 15 °C.  
Avoid high temperatures or direct sunlight.

#### 10.5 Incompatible materials

Acids, peroxides, copper, strong oxidizing agents.

#### 10.6 Hazardous decomposition products

No decomposition when used properly.

Thermal decomposition:

No data available

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

#### Symptoms

Can cause skin, eye and respiratory tract irritation.

With prolonged and/or frequent exposure, inflammation of the skin and mucous membranes may occur.

In case of ingestion:

Ingestion may cause nausea, weakness and affect the central nervous system.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## WINKEL PRO ANAEROBIC ADHESIVES, USER-FRIENDLY

Revision date: 24/3/2021  
Version: 6.0

Language: en-GB,IE

Date of print: 29/4/2021  
Page: 7 of 9

### SECTION 12: Ecological information

#### 12.1 Toxicity

Further details: No data available

#### 12.2 Persistence and degradability

Further details: No data available

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:  
No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

No data available

#### 12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Product

Waste key number: 08 04 10 = waste adhesives and sealants other than those mentioned in 08 04 09  
Recommendation: Dispose of waste according to applicable legislation.  
Do not dispose of with household waste.  
Do not empty into drains.

##### Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### 14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

#### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

#### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

#### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## WINKEL PRO ANAEROBIC ADHESIVES, USER-FRIENDLY

Revision date: 24/3/2021  
Version: 6.0

Language: en-GB,IE

Date of print: 29/4/2021  
Page: 8 of 9

### 14.5 Environmental hazards

Marine pollutant: no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Great Britain

Hazchem-Code: -  
No data available

#### National regulations - EC member states

Further regulations, limitations and legal requirements:  
No data available

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

### Further information

Wording of the H-phrases under paragraph 2 and 3:

- H226 = Flammable liquid and vapour.
- H242 = Heating may cause a fire.
- H302 = Harmful if swallowed.
- H304 = May be fatal if swallowed and enters airways.
- H312 = Harmful in contact with skin.
- H314 = Causes severe skin burns and eye damage.
- H315 = Causes skin irritation.
- H331 = Toxic if inhaled.
- H335 = May cause respiratory irritation.
- H373 = May cause damage to organs through prolonged or repeated exposure.
- H411 = Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## WINKEL PRO ANAEROBIC ADHESIVES, USER-FRIENDLY

Revision date: 24/3/2021  
Version: 6.0

Language: en-GB,IE

Date of print: 29/4/2021  
Page: 9 of 9

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
OEL: Occupational Exposure Limit Value  
AS/NZS: Australian Standards/New Zealand Standards  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EN: European Standard  
EU: European Union  
IATA: International Air Transport Association  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
STOT RE: Specific target organ toxicity - repeated exposure  
STOT SE: Specific target organ toxicity - single exposure  
TLV: Threshold Limit Value  
vPvB: Very persistent and very bioaccumulative  
WEL: Workplace Exposure Limit

Reason of change: Changes in section 1: Trade name, material number  
Changes in section 3: Composition / Information on ingredients  
Date of first version: 6/9/2017

### Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.