

WINKEL PRO RUBBER BLACK SUPER GLUES

Revision date: 26/4/2021 Version: 9.0

Language: en-GB,IE

Date of print: 30/4/2021 Page: 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name:

WINKEL PRO RUBBER BLACK SUPER GLUES This safety data sheet pertains to the following products: WINKEL PRO RUBBER BLACK TOUGHENED CA WINKEL PRO RUBBER BLACK 2000 SUPER GLUE

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Adhesive

1.3 Details of the supplier of the safety data sheet

Company name:	WINKEL GmbH	
Street/POB-No.:	Lisztstraße 1	
Postal Code, city:	53881 Euskirchen - Germany	
WWW:	www.winkelgroup.de	
E-mail:	info@winkelgroup.de	
Telephone:	++49 2251 77 69 400-401	
Telefax:	++49 2251 77 69 402	
Department responsible for information:		

info@winkelgroup.de

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Skin Irrit. 2; H315 Causes skin irritation.Eye Irrit. 2; H319 Causes serious eye irritation.STOT SE 3; H335 May cause respiratory irritation.

2.2 Label elements

Labelling (CLP)



Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.



WINKEL PRO RUBBER BLACK SUPER GLUES

Revision date: 26/4/2021 Version: 9.0		Language: en-GB,IE	Date of print: Page:	30/4/2021 2 of 9
Precautionary statements:	P102	Keep out of reach of children.		
	P261 P271 P280	Avoid breathing mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection.		
	P305+P351+P338 P312	IF IN EYES: Rinse cautiously with water for several minutes. Rem lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell.	ove contact	
	P405	Store locked up.		
	P501	Dispose of contents/container to hazardous or special waste collect	ction point.	
Special labelling	EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep ou children.	t of the read	ch of
Text for labelling:	Contains Eth	yl 2-cyanoacrylate.		
2.3 Other hazard	s			

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 230-391-5 CAS 7085-85-0	Ethyl 2-cyanoacrylate	70 - 90 %	Skin Irrit. 2; H315. Eye Irrit. 2; H319. STOT SE 3; H335.
EC No. 204-617-8 CAS 123-31-9	Hydroquinone	< 0.1 %	Acute Tox. 4; H302. Eye Dam. 1; H318. Skin Sens. 1; H317. Muta. 2; H341. Carc. 2; H351. Aquatic Acute 1; H400 (M-factor = 10).

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:	Take off contaminated clothing and wash it before reuse.
In case of inhalation:	Move victim to fresh air, put at rest and loosen restrictive clothing. If breathing has stopped, give artificial respiration immediately. Seek medical attention.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. If product comes into contact with lips, hold mouth open. Do not allow lips to contact one another. Seek medical attention.
After eye contact:	Keep eye wide open. Subsequently seek the immediate attention of an ophthalmologist. Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Do not attempt to pull apart bonded eyelid.



WINKEL PRO RUBBER BLACK SUPER GLUES

Revision date: 26/4/2021 Version: 9.0	Language: en-GB,IE	Date of print: Page:	30/4/2021 3 of 9
After swallowing:	Do not induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. In the event of discom- treatment.	ort seek me	dical
4.2 Most importa	int symptoms and effects, both acute and delayed		
	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritat Cyanacrylate - Danger - skin and eyelids will stick together in seconds.	on.	
4.3 Indication of	any immediate medical attention and special treatment needed		
	Treat symptomatically.		
5.1 Extinguishin	SECTION 5: Firefighting measures		
Suitable extinguishing media	a: Water spray jet, extinguishing powder, foam, carbon dioxide.		
Extinguishing media which r	nust not be used for safety reasons: Full water jet		
5.2 Special haza	rds arising from the substance or mixture		
	Combustible. On contact with air, potentially explosive mixtures may develop. In case of strong heating/In case of fire may be liberated: Cyanides, nitrogen oxi carbon monoxide and carbon dioxide.	des (NOx),	
5.3 Advice for fir	efighters		
Special protective equipmer	t for firefighters: Wear a self-contained breathing apparatus and chemical protective clothing.		

Additional information: Hazchem-Code: -

Use fine water spray to cool endangered containers. You have to dispose of contaminated extinguishing water according to the regulations of the authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Cyanacrylate - Danger - skin and eyelids will stick together in seconds. Avoid contact with skin, eyes, and clothing. Avoid breathing mist/vapours/spray. Provide adequate ventilation.

Wear appropriate protective equipment. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Take up mechanically and send to waste disposal.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.



WINKEL PRO RUBBER BLACK SUPER GLUES

Revision date: 26/4/2021 Version: 9.0

Language: en-GB,IE

Date of print: 30/4/2021 Page: 4 of 9

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling:	Provide adequate ventilation, and local exhaust as needed. Avoid breathing mist/vapours/spray. Wear appropriate protective equipment. Avoid contact with skin, eyes, and clothing.
Precautions against fire and	•
	Keep away from sources of ignition - No smoking.
	Take precautionary measures against static discharges.
7.2 Conditions fo	r safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place.
 Protect from moisture contamination.
 Protect from frost, heat and sunlight.
 Hints on joint storage:
 Do not store together with strong acids or strong oxidizing agents.

Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:			
CAS No.	Designation	Туре	Limit value
7085-85-0	Ethyl 2-cyanoacrylate	Great Britain: WEL-STEL Ireland: 15 minutes Ireland: 8 hours	1.5 mg/m³; 0.3 ppm 1 ppm 0.2 ppm
123-31-9	Hydroquinone	Great Britain: WEL-TWA Ireland: 8 hours	0.5 mg/m³ 0.5 mg/m³
1333-86-4	Carbon	Great Britain: WEL-STEL Great Britain: WEL-TWA Ireland: 8 hours	7 mg/m³ 3.5 mg/m³ 3 mg/m³ (inhalable fraction)

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection:	Respiratory protection in case of aerosol or vapour formation The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.
Hand protection:	Protective gloves according to EN 374. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to EN 166.
Body protection:	Wear suitable protective clothing.



WINKEL PRO RUBBER BLACK SUPER GLUES

Revision date:	26/4/2021		Date of print:	30/4/2021
Version:	9.0	Language: en-GB,IE	Page:	5 of 9

General protection and hygiene measures:

Avoid breathing mist/vapours/spray. Change contaminated clothing. Avoid contact with the substance.

Eye wash facility must be provided.

Wash hands before breaks and after work.

When using do not eat, drink or smoke.

Cyanacrylate - Danger - skin and eyelids will stick together in seconds.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Physical state at 20 °C and 101.3 kPa: liquid Colour: black
Odour:	characteristic
Odour threshold:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	150 °C
Flash point/flash point range:	87 °C
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	1.05 g/mL
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosive properties:	No data available
Oxidizing characteristics:	No data available
0.2 Other information	

9.2 Other information

Ignition temperature:

500 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possilbility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions with proper and specified storage and handling.



WINKEL PRO RUBBER BLACK SUPER GLUES

Revision date: Version:	26/4/2021 9.0	Language: en-GB,IE	Date of print: Page:	30/4/2021 6 of 9
Version:	0.0	Language: en-GB,IE	Page:	6 of 9

10.4 Conditions to avoid

Protect from moisture contamination. Avoid open flames. Protect from frost, heat and sunlight.

10.5 Incompatible materials

Strong acids, strong oxidizing agents

10.6 Hazardous decomposition products

No decomposition when used properly.Thermal decomposition:No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects:	The statements are derived from the properties of the single components. No toxicological data is available for the product as such.
	Acute toxicity (oral): Based on available data, the classification criteria are not met. LD50 Rat, oral: > 5,000 mg/kg
	Acute toxicity (dermal): Based on available data, the classification criteria are not met. LD50 Rabbit, dermal: > 2,000 mg/kg
	Acute toxicity (inhalative): Lack of data.
	Skin corrosion/irritation: Skin Irrit. 2; H315 = Causes skin irritation.
	Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation.
	Sensitisation to the respiratory tract: Lack of data.
	Skin sensitisation: Lack of data.
	Germ cell mutagenicity/Genotoxicity: Lack of data.
	Carcinogenicity: Lack of data.
	Reproductive toxicity: Lack of data.
	Effects on or via lactation: Lack of data.
	Specific target organ toxicity (single exposure): STOT SE 3; H335 = May cause respiratory irritation.
	Specific target organ toxicity (repeated exposure): Lack of data.
	Aspiration hazard: Lack of data.
Other information:	Information about Ethyl 2-cyanoacrylate: LD50 Rat, oral: > 5 ml/kg
Symptoms	
	In case of prolonged exposure: May cause sensitization by skin contact. Effects resulting from repeated or prolonged exposure: cough, shortage of breath, headache, nausea, vomiting, eye damage/irritation. In case of inhalation: Thoracic oppression, cough In case of ingestion: May be harmful if swallowed. After contact with skin: Redness, pain. After eye contact: Redness, pain.



WINKEL PRO RUBBER BLACK SUPER GLUES

Revision date: 26/4/2021 Version: 9.0

Language: en-GB,IE

Date of print: 30/4/2021 Page: 7 of 9

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details: Product is biodegradable.

12.3 Bioaccumulative potential

Bioaccumulation is unlikely. Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number:	08 04 09* = Waste adhesives and sealants containing organic solvents or other dangerous substances MFSU = manufacture, formulation, supply and use * = Evidence for disposal must be provided.
Recommendation:	Incinerate as hazardous waste according to applicable local, state, and federal regulations.
Package	
Recommendation:	Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable



WINKEL PRO RUBBER BLACK SUPER GLUES

Revision date:			Date of print:	30/4/2021
Version:	9.0	Language: en-GB,IE	Page:	8 of 9

14.5 Environmental hazards

Marine pollutant:

14.6 Special precautions for user

no

Only dangerous if carried on tank-ships.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

National regulations - EC member states

Volatile organic compounds (VOC):

1.9 % by weight = 20 g/L

Labelling of packaging with <= 125mL content



Signal word:	Warning			
Hazard statements:	H335	May cause respiratory irritation.		
	EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.		
Precautionary statements:	P102	Keep out of reach of children.		
	P261	Avoid breathing mist/vapours/spray.		
	P271	Use only outdoors or in a well-ventilated area.		
	P312	Call a POISON CENTER/doctor if you feel unwell.		
	P405	Store locked up.		
	P501	Dispose of contents/container to hazardous or special waste collection point.		
Further regulations, limitations and legal requirements:				

Use restriction according to REACH annex XVII, no.: 3, 75

15.2 Chemical Safety Assessment

For thi mixture a chemical safety assessment is not required.



WINKEL PRO RUBBER BLACK SUPER GLUES

Revision date: 26/4/2021 Version: 9.0

Language: en-GB,IE

Date of print: 30/4/2021 Page: 9 of 9

SECTION 16: Other information

Further information Wording of the H-phaness under stargaph 2 and 3; H302 = Harmful if swallowed. H315 = Causes skin irritation. H317 = Causes serious eye dramage. H318 = Causes serious eye (ratitation. H318 = Suspected of causing cancer. H400 = Very toxic to aquatic life. EUH202 = Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of childran. Abbrewiellows and according. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road AS/NZ3: Australian Standards/New Zealand Standards CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level DNEL: Derived minimal effect level DNEL: Derived minimal effect level DNEL: Derived no-effect level Life: Code: International Maritime Dangerous Goods Code		
H302 = Harmful if swallowed. H315 = Causes skin irritation. H317 = May cause an allergic skin reaction. H318 = Causes serious eye damage. H319 = Causes serious eye irritation. H336 = May cause respiratory irritation. H337 = May cause respiratory irritation. H338 = May cause respiratory irritation. H337 = Suspected of causing genetic defects. H351 = Suspected of causing cancer. H400 = Very toxic to aquatic life. EUH202 = Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. Abbrewimtions and acremym: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Road AS/NZS: Australian Standards/New Zealand Standards CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level DNEL: Derived minimal effect level DNEL: Derived minimal effect level DNEL: Derived non-effect level DNEL: Derived non-effect level EC: European Standard EU: European Manufacture, formulation, supply and use MTAS: International Air Transport Association IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Maritime Dangerous Goods Code LD50: Lethal dose 50% MaRPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships M-factor: Multiplication factor OSHA: Occupational Safety and Health Administration PBT: Presistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RD: Registration, Evaluation, Authorisation and Restriction of Chemicals RD: Registration, Evaluation, Authorisation and Restriction of Chemicals RD: Registration Size Composition / Information and Restriction of Chemicals RD: Registration Size Composition / Information on ingredients General revisio	Further information	1
 H341 = Suspected of causing genetic defects. H351 = Suspected of causing cancer. H400 = Very toxic to aquatic life. EUH202 = Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. Abbreviations and acronymes ADN: European Agreement concerning the International Carriage of Dangerous Goods by Road AS/NZS: Australian Standards/New Zealand Standards CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived noimal effect level DNEL: Derived noimal effect level DNEL: Derived noimal effect level DNEL: Derived noimal effect level DCode: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Active formulation, supply and use IATA: International Action of for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Action and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Action and Equipment of Pollution from Ships M-factor: Multiplication factor OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RD: Regulations Concerning the International Carriage of Dangerous Goods by Rail STOT SE: Specific target organ toxicity - single exposure UN: United Nations vPuE: Very persistent and very bioaccumulative Reason of changes in section 3: Composition / Information on ingredients General revision Danges in section 3: Composition / Information on ingredients<		der paragraph 2 and 3: H302 = Harmful if swallowed. H315 = Causes skin irritation. H317 = May cause an allergic skin reaction. H318 = Causes serious eye damage. H319 = Causes serious eye irritation.
Waterways ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road ASNIZS: Australian Standards/New Zealand Standards CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived monitoral effect level DNL: Derived no-effect level EC: European Community EU: European Union MFSU: Manufacture, formulation, supply and use IATA: International Air Transport Association IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Maritime Dangerous Goods Code LD50: Lethal dose 50% MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships M-factor: Multiplication factor OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail STOT SE: Specific target organ toxicity - single exposure UN: United Nations		 H341 = Suspected of causing genetic defects. H351 = Suspected of causing cancer. H400 = Very toxic to aquatic life. EUH202 = Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships M-factor: Multiplication factor OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail STOT SE: Specific target organ toxicity - single exposure UN: United Nations vPvB: Very persistent and very bioaccumulativeReason of change:Changes in section 1: Trade name, material number Changes in section 2: Labelling Changes in section 3: Composition / Information on ingredients General revisionDate of first version:20/5/2016	Abbreviations and acronyms:	Waterways ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road AS/NZS: Australian Standards/New Zealand Standards CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EN: European Standard EU: European Union MFSU: Manufacture, formulation, supply and use IATA: International Air Transport Association IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Maritime Dangerous Goods Code
Changes in section 2: Labelling Changes in section 3: Composition / Information on ingredients General revisionDate of first version:20/5/2016		MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships M-factor: Multiplication factor OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail STOT SE: Specific target organ toxicity - single exposure UN: United Nations
	-	Changes in section 2: Labelling Changes in section 3: Composition / Information on ingredients General revision

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.